



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/443,692	11/19/1999	TAKESHI ANDO	13191	7589

23389 7590 07/05/2007
SCULLY SCOTT MURPHY & PRESSER, PC
400 GARDEN CITY PLAZA
SUITE 300
GARDEN CITY, NY 11530

EXAMINER

TSEGAYE, SABA

ART UNIT	PAPER NUMBER
----------	--------------

2616

MAIL DATE	DELIVERY MODE
-----------	---------------

07/05/2007

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

09/443,692

Applicant(s)

ANDO, TAKESHI

Examiner

Saba Tsegaye

Art Unit

2616

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 14 June 2007.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 2,3,5,8 and 10 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 2,3,5,8 and 10 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____

DETAILED ACTION

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 06/14/07 has been entered.
2. Claims 2, 3, 5, 8 and 10 are pending. Currently no claims are in condition for allowance.

Claim Rejections - 35 USC § 103

3. Claims 2, 3, 5, 8 and 10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Tiedemann, Jr. et al. (US 5,914,950) in view of Tanaka et al. (US 5,825,761).

Regarding claims 2 and 10, Tiedemann discloses a communication system capable of variable rate transmission. Remote station 6 from Fig. 1 initiates high-speed data transmission on the reverse link by requesting permission from channel scheduler 12 (receiving a transmission demand from each of a plurality of mobile station at a base station). See col. 6, lines 40-42. As shown in Fig. 2, the channel scheduler 12 connects to all selector elements within base station controller 10. See col. 7, lines 27-39. The channel scheduler is also able to schedule the information so that data can travel at that particular rate a predetermined number of frames later (determining a maximum transmission rate for a next schedule transmission time slot . . .). The scheduler 12 sends the maximum scheduled transmission rate **to each remote station** (transmission rate for each of a plurality of transmission channels). See col. 9, lines 47-54. The

Art Unit: 2616

maximum transmission rate is found based on a number of factors. One of the factors includes the frame error rate (based directly on . . . a transmission error rate). See col. 18, lines 10-30. For example, the channel scheduler can assign lower transmission rates to remote stations if the FER is above a predetermined threshold. See col. 16, lines 33-43. Tiedemann also discloses the use of CRC bits for detection of frame error (error rate determined via a CRC for each mobile station). See col. 27, line 62-col. 28, line 6. Tiedemann discloses that the data transmission rate is also affected by **the channel condition** (taking account of radio wave propagation condition). See col. 19, lines 17-19, and col. 20, lines 19-26. Tiedemann discloses that the data queue size is also taken into consideration in assigning the maximum transmission rate. It follows logically that a bigger data size will relate to a bigger queue size (taking account . . . a data size associated with each said transmission demand). See at least col. 21, lines 48-67. Priority order can also be established after taking various factors into account. See col. 32, lines 13-16.

Again, the amount of data to be transmitted is a factor in the discussion involving priority assignment (determining a priority order . . . based on the data size). See col. 32, lines 48-65. Tiedemann also discloses that priority can be assigned based on the frame error rate (determining priority order . . . based on . . . the transmission error rate). See col. 33, line 58-col. 34, line 13. **Channel conditions** can also play a role in priority, where a remote station can be temporarily be placed on hold until channel conditions improve, so it would have a very low priority of transmission (determining a priority order . . . based on the radio wave propagation condition). See col. 33, lines 23-26. After processing the collected information, channel scheduler 12 assigns the maximum scheduled transmission rate that can be used by each remote station 6 for high speed data transmission over the reverse link (notifying each said mobile station of said

maximum transmission rate determined at said base station). Tiedemann discloses that channel scheduler assigns the maximum scheduled **transmission rate, for each** scheduled user, based on a set of system goals, a list of system constraints, and collected information on status of the communication network (See column 5, lines 7-15; Abstract). Furthermore, Tiedemann discloses that the assignment of the maximum scheduled transmission rate can be accomplished by at least two embodiments. In the first embodiment, channel scheduler 12 assigns the maximum scheduled transmission rate to each scheduled user. And in the second embodiment, the scheduled user requests a maximum scheduled transmission rate (...each of the plurality of transmission channels having a separate maximum transmission rate) (column 12, lines 30-41; column 13, lines 16-32). As shown in fig. 1, *a corresponding base station 4 services each cell*. Each of mobile station (remote stations) communicates with **one** or more base stations 4 (column 6, lines 4-15). More specifically, mobile stations 6a and 6b communicate exclusively with base station 4c, mobile station 6d and 6e communicate exclusively with base station 4d. This shows that a plurality of transmission channels for each of *mobile stations forming a communication link between each mobile station and one base station*.

However, Tiedemann does not expressly disclose maximum transmission **rate calculated directly from values representing a radio wave propagation condition**.

Tanaka teaches that the maximum transmission rate is calculated directly from values representing a radio wave propagation condition (column 1, lines 24-30).

It would have been obvious to one ordinary skill in the art at the time the invention was made to use the teachings from Tanaka of adding a value representing a radio wave propagation condition to the collection of all pertinent information disclosed by Tiedemann in order to

Art Unit: 2616

provide optimal assignment of maximum scheduled transmission rate for each scheduled user based on the collected information. One of ordinary skill in the art would have been motivated to do this because it would decrease the transmission delay in data communication in a CDMA system.

Regarding claim 3, Tiedemann discloses that the channel scheduler can wait until the next scheduling period and assigns a new rate based on the new-collected information. In this manner, the maximum rate can be variable (variably changing a transmission rate according to the maximum rate). See Fig. 7, and col. 9, lines 24-54.

Regarding claim 5, as mentioned previously, Tiedemann discloses that the system can use the FER information to determine the condition of a transmission path. For example, if there is a repeated frame error, then this can indicate that the reverse link is impaired (a transmission condition detecting means...detecting its error ratio). As mentioned previously, the mobile stations can demand up to a maximum rate, or less depending on what the mobile station requires. The system uses collected information to determine the rate needed by each channel (transmission rate detecting means), and it assigns a maximum rate based on this information (a maximum rate control information determining means). See Fig. 7, and col. 9, lines 24-54. The channel scheduler is responsible for sending the maximum rate information (notifying said mobile station of said maximum rate). See Fig. 7, and col. 9, lines 47-49.

Regarding claim 8, Tiedemann discloses that at a base station 4, the reverse link signal is received by antenna 44 and provided to RF unit 42. RF unit 42 filters, amplifies, down converts,

Art Unit: 2616

and quantizes the reverse link signal and provides the digitized signal to channel element 40.

Channel element 40 demodulates the digitized baseband signal, the inverse of the signal processing functions done at remote station 6 (a demodulation device). See col. 7, lines 9-26.

The scheduling system disclosed in Tiedemann can be applied to any communication system capable of variable rate communication-high speed data transmission occurs over a single variable rate channel (variable rate communication path). Based on collected information and system goals, the channel scheduler assigns the maximum transmission rate-some of this collected data and system goals can include channel condition and a priority list of required performance (determining maximum rate by taking account of radio wave propagation condition; a maximum rate control). See col. 19, lines 14-29, and col. 18, lines 24-30. The system uses collected information to determine the rate needed by each channel (transmission rate detecting means). As mentioned previously, the FER can be used when deciding on the transmission rate (detecting its error ratio).

Response to Arguments

4. Applicant's arguments with respect to claims 2, 3, 5, 8 and 10 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Saba Tsegaye whose telephone number is (571) 272-3091. The examiner can normally be reached on Monday-Friday (7:30-5:00), First Friday off.

Art Unit: 2616

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Wing Chan can be reached on (571) 272-7493. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

ST
June 27, 2007


7/2/07
WING CHAN
SUPERVISORY PATENT EXAMINER